



检测报告

Test Report

报告编号 A2250608810101001E
Report No. A2250608810101001E

第 1 页 共 5 页
Page 1 of 5

报告抬头公司名称 东莞市圣普化学科技有限公司
Company Name DONGGUAN SAMPLE CHEMICAL TECHNOLOGY CO., LTD
shown on Report
地址 广东省东莞市樟木头镇华泰路 5 号 1 栋
Address BUILDING 1, NO. 5 HUATAI ROAD, ZHANGMUTOU TOWN, DONGGUAN CITY, GUANGDONG PROVINCE

以下测试之样品及样品信息由申请者提供并确认

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

样品名称	清洗剂
Sample Name	Cleaning agent
样品型号	ZL-001
Model No.	ZL-001
样品接收日期	2025.08.20
Sample Received Date	Aug. 20, 2025
样品检测日期	2025.08.20-2025.08.26
Testing Period	Aug. 20, 2025 to Aug. 26, 2025

测试内容 Test Conducted:

根据客户的申请要求，具体要求详见下一页。

As requested by the applicant. For details refer to next page(s).

检测结论 Test Conclusion 所检项目的检测结果满足GB 38508-2020 清洗剂挥发性有机化合物含量限值中水基清洗剂的限值要求。

The results of the test items shown on the report comply with the required limits of water-based cleaning agent in GB 38508-2020 Limits for volatile organic compounds content in cleaning agents.

批准

Approved by

王文军

日期

Date

2025.08.26

授权签字人 Lab Authorized Signatory

No. R229112285

华测检测认证集团股份有限公司顺德分公司 广东省佛山市顺德区容桂容奇大道东 8 号之二永盈大厦 501 室、902 室

检验检测专用章 Centre Testing International Group Co., Ltd. Shunde Branch

Room 501, 902, Yongying Building, Section 2, No.8, East of Rongqi Avenue, Ronggui, Shunde District, Foshan, Guangdong, China

检测报告

Test Report

报告编号 A2250608810101001E
Report No. A2250608810101001E

第 2 页 共 5 页
Page 2 of 5

测试摘要 Executive Summary:

测试要求

TEST REQUEST

GB 38508-2020 清洗剂挥发性有机化合物含量限值 Limits for volatile organic compounds content in cleaning agents

- 挥发性有机化合物(VOC) Volatile Organic Compounds (VOC)
- 苯、甲苯、乙苯、二甲苯总和 Sum of Benzene,Toluene,Ethylbenzene,Xylene
- 甲醛 Formaldehyde
- 二氯甲烷、三氯甲烷、三氯乙烯、四氯乙烯总和 Sum of Dichloromethane, Trichloromethane, Trichloroethylene and Tetrachloroethylene

测试结果

CONCLUSION

符合 PASS

符合 PASS

符合 PASS

符合 PASS

符合(不符合)表示检测结果满足(不满足)限值要求。

PASS (FAIL) means that the results shown on the report (do not) comply with the required limits.

*****详细结果, 请见下页*****

***** For further details, please refer to the following page(s) *****

检测报告
Test Report

报告编号 A2250608810101001E
Report No. A2250608810101001E

第 3 页 共 5 页
Page 3 of 5

GB 38508-2020 清洗剂挥发性有机化合物含量限值 Limits for volatile organic compounds content in cleaning agents

▼ 挥发性有机化合物(VOC)Volatile Organic Compounds (VOC)

测试方法: GB 38508-2020/ GB/T 6283/ GB/T 4472/ GB/T 13173-2008(第 15 章) ;
测试仪器: 烘箱, 电子天平, 卡尔费休水分仪
Test Method: GB 38508-2020/ GB/T 6283/ GB/T 4472/ GB/T 13173-2008(section 15);
Test Equipment: Oven,Electronic balance,KF moisture meter

测试项目 Test Item(s)	结果 Result	方法检出限 MDL	限值 Limit	单位 Unit
	001			
VOC	N.D.	2	≤50	g/L

▼ 苯、甲苯、乙苯、二甲苯总和 Sum of Benzene,Toluene,Ethylbenzene,Xylene

测试方法: GB/T 23990-2009 B 法; 测试仪器: GC-FID
Test Method: GB/T 23990-2009 Method B; Test Equipment: GC-FID

测试项目 Test Item(s)	结果 Result	方法检出限 MDL	限值 Limit	单位 Unit
	001			
苯 Benzene	N.D.	0.001	--	%
甲苯 Toluene	N.D.	0.001	--	%
乙苯 Ethylbenzene	N.D.	0.001	--	%
二甲苯 Xylene	N.D.	0.001	--	%
苯、甲苯、乙苯、二甲苯总和 Sum of Benzene,Toluene,Ethylbenzene,Xylene	N.D.	--	≤0.5	%

▼ 甲醛 Formaldehyde

测试方法: GB/T 23993-2009; 测试仪器: UV-Vis
Test Method: GB/T 23993-2009; Test Equipment: UV-Vis

测试项目 Test Item(s)	结果 Result	方法检出限 MDL	限值 Limit	单位 Unit
	001			
甲醛 Formaldehyde	N.D.	0.005	≤0.5	g/kg

检测报告
Test Report

报告编号A2250608810101001E
Report No. A2250608810101001E

第 4 页 共 5 页
Page 4 of 5

▼ 二氯甲烷、三氯甲烷、三氯乙烯、四氯乙烯总和 Sum of Dichloromethane, Trichloromethane, Trichloroethylene and Tetrachloroethylene

测试方法：GB/T 23992-2009；测试仪器：GC-MS
Test Method: GB/T 23992-2009; Test Equipment: GC-MS

测试项目 Test Item(s)	结果 Result	方法检出限 MDL	限值 Limit	单位 Unit
	001			
二氯甲烷 Dichloromethane	N.D.	0.005	--	%
三氯甲烷 Trichloromethane	N.D.	0.005	--	%
三氯乙烯 Trichloroethylene	N.D.	0.005	--	%
四氯乙烯 Tetrachloroethylene	N.D.	0.005	--	%
二氯甲烷、三氯甲烷、三氯乙烯、四氯乙烯总和 Sum of Dichloromethane, Trichloromethane, Trichloroethylene and Tetrachloroethylene	N.D.	--	≤0.5	%

- 备注 Remark:
- 根据客户声明，送测产品为水基清洗剂。
According to the client's statement, the tested product is water-based cleaning agent.
 - MDL = 方法检出限 Method Detection Limit
 - N.D. = 未检出 (小于方法检出限) Not Detected (<MDL)

样品/部位描述 Sample/Part Description

序号	CTI 样品 ID	描述
No.	CTI Sample ID	Description
1	001	透明液体 Transparent liquid


检测报告 Test Report

报告编号 A2250608810101001E
Report No. A2250608810101001E

第 5 页 共 5 页
Page 5 of 5

样品图片

Photo(s) of the sample(s)



声明 Statement:

1. 本报告无批准人签字、“专用章”及报告骑缝章无效;
This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. 报告抬头公司名称及地址、样品及样品信息由申请者提供, 申请者应对其真实性负责, CTI 未核实其真实性;
The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. 本报告检测结果仅对受测样品负责;
The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 除非另有说明, 报告参照 ILAC-G8:09/2019 / CNAS-GL015:2022 使用简单接受 (w=0) 二元判定规则进行符合性判定; Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. 未经 CTI 书面同意, 不得部分复制本报告;
Without written approval of CTI, this report can't be reproduced except in full;
6. 如报告中的英文内容与中文内容有差异, 以中文为准。
In case of any discrepancy between the English version and Chinese version of the reports (if generated), the Chinese version shall prevail.

*** 报告结束 ***
*** End of Report ***